



PRONIXT
PRECISION TOOLING SOLUTIONS

Feeding Collets & ER Collet Extension Holders

ABOUT


PRONIXT

PRONIXT was built upon practical machining experience and a long-term collaboration with **D-Well Precision Co., Ltd.** in Taiwan.

Established in 2021, **D-Well** specializes in precision prototype machining and low-volume production. It also serves as a technical platform for tool trials, application testing, and machining feedback.

In 2026, **PRONIXT** was established in Shenzhen based on technical discussions and practical machining experience gained through this collaboration.

Today, **PRONIXT** focuses on collets, guide bushes, rotary broaching tools, and customized tooling solutions for global customers.



PRECISION

High accuracy manufacturing with tight tolerance control.




QUALITY

Stable quality ensures consistent performance.



TESTING

Practical machining tests for reliable tooling verification.



CUSTOMIZATION

Custom solutions to meet specific machining needs.



LNS - Feeding Collet

Unit: mm

Order No.	Model	OD	L	TH	I.D. Range	Type
LN-L01	4#	5	98	M4*P0.7	0.8-4.0	1
LN-L02	4-7#	7	98	M4*P0.7	0.8-4.0	2
LN-L03	4-7#	7	98	M4*P0.7	4.1-6.0	2
LN-L04	4-7#	7	98	M4*P0.7	2.0-5.5	2
LN-L05	4#	5	28	M4*P0.7	0.8-4.0	3
LN-L06	4-7#	7	28	M4*P0.7	1.5-6.0	4
LN-L07	7#	7	50	M4*P0.7	1.3-6.0	5
LN-L08	7#	8	50	M4*P0.7	1.3-6.5	5
LN-L09	7#	9	50	M4*P0.7	6.6-7.0	5
LN-L10	8.5#	9.5	45	M5*P0.8	1.5-7.8	6
LN-L11	8.5#	10	45	M5*P0.8	7.9-8.5	6
LN-L12	8.5#	12	45	M5*P0.8	3.0-10.5	7
LN-L13	8.5#	13	45	M5*P0.8	10.8-11.0	8
LN-L14	8.5#	14	45	M5*P0.8	11.5-12.0	8
LN-L15	8.5#	15	45	M5*P0.8	12.5-13.0	8
LN-L16	8.5#	15.5	45	M5*P0.8	13.5	8
LN-L17	20#	15	60	M9*P1.0	2.0-13.0	9
LN-L18	20#	18	60	M9*P1.0	11.5-15.1	10
LN-L19	20#	19	60	M9*P1.0	15.2-16.0	10
LN-L20	20#	20	60	M9*P1.0	16.5-18.0	10
LN-L21	20#	22	60	M9*P1.0	18.5-19.0	11
LN-L22	20#	24	60	M9*P1.0	19.5-21.0	11
LN-L23	20#	25	60	M9*P1.0	21.5-22.0	11
LN-L24	XT326	22	60	M9*P1.0	18.0-19.5	12
LN-L25	XT326	23	60	M9*P1.0	20.0-21.0	12
LN-L26	XT326	26	60	M9*P1.0	21.5-23.0	12
LN-L27	XT326	28	60	M9*P1.0	24.0-26.0	12
LN-L28	XT326	30	60	M9*P1.0	26.5-28.0	12
LN-L29	XT326	32	60	M9*P1.0	28.5-29.5	12
LN-L30	SN20#	20	60	M10*P1.0	2.0-18.5	13
LN-L31	SN23#	23	60	M10*P1.0	16.0-21.0	14
LN-L32	SN25#	25	60	M10*P1.0	16.0-23.5	14
LN-L33	SN27#	27	60	M10*P1.0	16.5-25.0	14
LN-L34	SN32#	32	70	M17*P1.0	23.5-28.0	15
LN-L35	SN35#	35	80	M25*P1.5	28.5-33.0	16
LN-L36	SN37#	37	80	M25*P1.5	31.0-35.0	17
LN-L37	SN38#	38	80	M25*P1.5	30.0-36.0	17
LN-L38	SN42#	42	80	M25*P1.5	31.5-40.0	17
LN-L39	SN45#	45	80	M25*P1.5	38.5-42.5	17
LN-L40	SN51#	51	80	M25*P1.5	41.0-48.0	18
LN-L41	32#	32	80	M25*P1.5	4.0-30.5	15
LN-L42	40#	40	80	M25*P1.5	20.0-36.5	17



LNS - Revolving Tip

Unit: mm

Order No.	Model	OD	L	TH	PIN / TH	Type
LN-T01	4#	5	77.1	M4*P0.7	M4*P0.7	1
LN-T02	4-7#	7	77.2	M4*P0.7	M4*P0.7	2
LN-T03	7#	7	65.3	M4*P0.7	M6*P0.75	3
LN-T04	7#	7	65.3	M4*P0.7	M6*P1.0	3
LN-T05	7#	8	65.3	M4*P0.7	M6*P0.75	3
LN-T06	7#	8	65.3	M4*P0.7	M6*P1.0	3
LN-T07	7#	8	61.5	M4*P0.7	M6*P0.75	4
LN-T08	7#	7	57.5	M4*P0.7	M6*P0.75	5
LN-T09	7.5#	7.5	57.5	M4*P0.7	M6*P1.0	5
LN-T10	7#	8	57.5	M4*P0.7	M6*P0.75	5
LN-T11	8.5#	9.5	63.5	M5*P0.8	M7*P0.75	6
LN-T12	8.5#	9.5	66.3	M5*P0.8	M7*P0.75	6
LN-T13	8.5#	10	59.5	M5*P0.8	M7*P0.75	7
LN-T14	8.5#	10	61.1	M5*P0.8	M7*P0.75	7
LN-T15	8.5#	9	64.5	M5*P0.8	M7*P0.75	8
LN-T16	8.5#	10	64.5	M5*P0.8	M7*P0.75	8
LN-T17	12#	12	64.5	M5*P0.8	M7*P0.75	9
LN-T18	12#	12	64.5	M5*P0.8	M8*P1.0	9
LN-T19	20#	15	92.2	M9*P1.0	M12*P1.0	10
LN-T20	20#	15	92.2	M9*P1.0	M12*P1.0	11
LN-T21	20#	15	92.2	M9*P1.0	M12*P1.25	12
LN-T22	20#	20	92.2	M9*P1.0	M12*P1.25	13
LN-T23	25#	25	92.2	M9*P1.0	M12*P1.25	14
LN-T24	20#	20.5	207.5	M10*P1.0	PIN: 4.0	15
LN-T25	20#	20.5	193.5	M10*P1.0	M12*P1.25	
LN-T26	22#	22.5	207.5	M10*P1.0	PIN: 4.0	15
LN-T27	23#	22.5	207.5	M10*P1.0	PIN: 4.0	15
LN-T28	23#	22.5	193.5	M10*P1.0	M12*P1.25	
LN-T29	25#	25.5	207.5	M10*P1.0	PIN: 5.0	16
LN-T30	25#	25.5	193.5	M10*P1.0	M16*P1.5	
LN-T31	27#	27.5	207.5	M10*P1.0	PIN: 5.0	16
LN-T32	27#	27.5	193.5	M10*P1.0	M16*P1.5	
LN-T33	32#	32.5	165	M25*P1.5	PIN: 5.0	17
LN-T34	32#	32.5	165	M25*P1.5	M27	18
LN-T35	35#	35.5	165	M25*P1.5	PIN: 6.0	17
LN-T36	35#	35.5	165	M25*P1.5	M29	18
LN-T37	37#	37.5	165	M25*P1.5	PIN: 6.0	17
LN-T38	37#	37.5	165	M25*P1.5	M29	18
LN-T39	38#	38.5	165	M25*P1.5	PIN: 6.0	17
LN-T40	38#	38.5	165	M25*P1.5	M29	18
LN-T41	42#	41.5	165	M25*P1.5	PIN: 6.0	19
LN-T42	42#	41.5	165	M25*P1.5	M34	20
LN-T43	45#	45.5	165	M25*P1.5	PIN: 6.0	19
LN-T44	45#	45.5	165	M25*P1.5	M38	20
LN-T45	51#	51.5	165	M25*P1.5	PIN: 6.0	21
LN-T46	51#	51.5	165	M25*P1.5	M42	22



IEMCA - Feeding Collet

Unit: mm

Order No.	Model	OD	L	TH	I.D. Range	Type
IEM-R01	4#	5	98	M4*P0.7	0.8-4.0	1
IEM-R02	5#	5	37	M4*P0.5	2.0-4.0	2
IEM-R03	4-7#	7	98	M4*P0.7	0.8-4.0	3
IEM-R04	4-7#	7	98	M4*P0.7	4.1-6.0	3
IEM-R05	4-7#	7	98	M4*P0.7	2.0-5.5	3
IEM-R06	7.5#	7.5	40	M5*P0.8	2.0-6.0	4
IEM-R07	10#	10	42	M6*P0.75	1.5-8.5	5
IEM-R08	12#	12	42	M7*P0.75	1.5-10.5	6
IEM-R09	12#	13	42	M7*P0.75	11	6
IEM-R10	15#	15	42	M8*P1.0	2.0-13.0	7
IEM-R11	16#	16	42	M8*P1.0	12.0-14.0	7
IEM-R12	20#	20	60	M10*P1.0	2.0-18.5	8
IEM-R13	23#	23	60	M10*P1.0	14.0-21.5	9
IEM-R14	25#	25	60	M10*P1.0	16.5-23.5	10
IEM-R15	27#	27	60	M10*P1.0	16.5-25.5	9
IEM-R16	32#	32	80	M25*P1.5	4.0-30.5	11
IEM-R17	35#	35	80	M25*P1.5	28.5-33.0	12
IEM-R18	37#	37	80	M25*P1.5	30.0-35.0	13
IEM-R19	38#	38	80	M25*P1.5	30.0-36.0	13
IEM-R20	40#	40	80	M25*P1.5	20.0-37.0	13
IEM-R21	42#	42	80	M25*P1.5	31.5-40.0	13
IEM-R22	45#	45	80	M25*P1.5	38.5-42.2	13
IEM-R23	51#	51	80	M25*P1.5	42.5-48.0	14



IEMCA - Revolving Tip

Unit: mm

Order No.	Model	OD	L	TH	PIN / TH	Type
IEM-T01	7.5#	7.5	151	M5*P0.5	M6*P0.75	1
IEM-T02	10#	10.5	137.5	M6*P0.75	M8*P1.0	2
IEM-T03	10#	10.5	167	M6*P0.75	PIN: 3.0	3
IEM-T04	12#	12.5	173	M7*P0.75	PIN: 3.0	4
IEM-T05	15#	15.5	195	M8*P1.0	PIN: 4.0	5
IEM-T06	16#	16.5	195	M8*P1.0	PIN: 4.0	5
IEM-T07	18#	18.5	195	M8*P1.0	PIN: 4.0	5
IEM-T08	19#	19.5	195	M8*P1.0	PIN: 4.0	5
IEM-T09	20#	20.5	207.5	M10*P1.0	PIN: 4.0	6
IEM-T10	22#	22.5	207.5	M10*P1.0	PIN: 4.0	6
IEM-T11	23#	23.5	207.5	M10*P1.0	PIN: 4.0	6
IEM-T12	25#	25.5	207.5	M10*P1.0	PIN: 5.0	7
IEM-T13	27#	27.5	207.5	M10*P1.0	PIN: 5.0	7
IEM-T14	30#	30.5	165	M25*P1.5	PIN: 5.0	8
IEM-T15	32#	32.5	165	M25*P1.5	PIN: 5.0	8
IEM-T16	35#	35.5	165	M25*P1.5	PIN: 5.0	9
IEM-T17	37#	37.5	165	M25*P1.5	PIN: 5.0	9
IEM-T18	38#	38.5	165	M25*P1.5	PIN: 5.0	9
IEM-T19	40#	40.5	165	M25*P1.5	PIN: 6.0	10
IEM-T20	42#	42.5	165	M25*P1.5	PIN: 6.0	10
IEM-T21	45#	45.5	165	M25*P1.5	PIN: 6.0	10
IEM-T22	51#	51.5	165	M25*P1.5	PIN: 6.0	11
IEM-T23	51#	51.5	221	M25*P1.5	PIN: 6.0	12



IKURA - Feeding Collet

Unit: mm

Order No.	Model	OD	L	TH	I.D. Range	Type
IKU-L01	4#	5	98	M4*P0.7	0.8-4.0	1
IKU-L02	4#	5	28	M4*P0.7	0.8-4.0	2
IKU-L03	7#	7	40	M6*P1.0	1.5-6.0	3
IKU-L04	8#	8	40	M6*P1.0	1.5-6.5	3
IKU-L05	10#	10	40	M6*P1.0	1.5-8.5	4
IKU-L06	12#	12	40	M6*P1.0	3.0-10.5	5
IKU-L07	15#	15	55		3.0-13.0	6
IKU-L08	20#	20	55		3.0-18.0	7
IKU-L09	25#	25	76		5.0-23.0	8
IKU-L10	32#	32	76		5.0-28.0	9



IKURA - Revolving Tip

Unit: mm

Order No.	Model	OD	L	TH	PIN / TH	Type
IKU-T01	4#	5	77.1	M4*P0.7	M4*P0.7	1
IKU-T02	7#	7	67.5	M6*P1.0	M6*P1.0	2
IKU-T03	8#	8	67.5	M6*P1.0	M6*P1.0	2
IKU-T04	10#	10	67.5	M6*P1.0	M6*P1.0	3
IKU-T05	12#	12	67.5	M6*P1.0	M6*P1.0	4
IKU-T06	15#	15	119.5	PIN: 6.0	M12*P1.25	5
IKU-T07	16#	16.3	119.5	PIN: 6.0	M12*P1.25	6
IKU-T08	17#	17	119.5	PIN: 6.0	M12*P1.25	6
IKU-T09	19#	19	119.5	PIN: 6.0	M12*P1.25	6
IKU-T10	20#	20	119.5	PIN: 6.0	M12*P1.25	6
IKU-T11	21#	20.5	119.5	PIN: 6.0	M12*P1.25	6
IKU-T12	22#	21	119.5	PIN: 6.0	M12*P1.25	6
IKU-T13	25#	25	160.3	PIN: 8.0	M20*P1.5	7
IKU-T14	32#	32	160.3	PIN: 8.0	M20*P1.5	8



PRO - Feeding Collet

Unit: mm

Order No.	Model	OD	L	TH	I.D. Range	Type
PRO-L01	4#	5	98	M4*P0.7	0.8-4.0	1
PRO-L02	4-7#	7	98	M4*P0.7	0.8-4.0	2
PRO-L03	4-7#	7	98	M4*P0.7	4.1-6.0	2
PRO-L04	4-7#	7	98	M4*P0.7	2.0-5.5	2
PRO-L05	10#	10	42	M6*P0.75	1.5-8.5	3
PRO-L06	12#	12	42	M7*P0.75	1.5-10.5	4
PRO-L07	15#	15	42	M8*P1.0	2.0-13.0	5
PRO-L08	16#	16	42	M8*P1.0	12.0-14.0	5
PRO-L09	16#	15	60	M12*P1.0	3.0-13.0	6
PRO-L10	16#	16	60	M12*P1.0	12.0-14.0	6
PRO-L11	20#	20	60	M10*P1.0	3.0-18.5	7
PRO-L12	20#	20	60	M12*P1.0	3.0-18.0	7
PRO-L13	23#	23	60	M10*P1.0	16.0-21.0	8
PRO-L14	25#	25	60	M10*P1.0	16.5-23.0	9
PRO-L15	25#	23	80	M18*P1.0	5.0-19.0	9
PRO-L16	25#	25	80	M18*P1.0	20.0-23.0	10
PRO-L17	27#	27	60	M10*P1.0	16.5-25.5	9
PRO-L18	32#	32	80	M25*P1.0	4.0-30.0	11
PRO-L19	35#	35	80	M25*P1.0	28.5-32.0	12
PRO-L20	37#	37	80	M25*P1.0	31.0-34.0	13
PRO-L21	38#	38	80	M25*P1.0	31.0-35.0	13
PRO-L22	40#	40	80	M25*P1.0	21.0-36.5	13
PRO-L23	42#	42	80	M25*P1.0	31.5-40.0	13
PRO-L24	45#	45	80	M25*P1.0	38.5-42.2	13
PRO-L25	51#	51	80	M25*P1.0	42.5-48.0	14



PRO - Revolving Tip

Unit: mm

Order No.	Model	OD	L	TH	PIN / TH	Type
PRO-T01	10#	10.5	167	M6*P0.75	PIN: 3.0	1
PRO-T02	12#	12.5	173	M7*P0.75	PIN: 3.0	2
PRO-T03	12#	12	113.5	M7*P0.75	M7*P0.75	3
PRO-T04	15#	15.5	195	M8*P1.0	PIN: 4.0	4
PRO-T05	16#	16.5	195	M8*P1.0	PIN: 4.0	4
PRO-T06	16#	16	147	M12*P1.0	M10*P1.0	5
PRO-T07	18#	18.5	195	M8*P1.0	PIN: 4.0	4
PRO-T08	19#	19.5	195	M8*P1.0	PIN: 4.0	4
PRO-T09	20#	20.5	207.5	M10*P1.0	PIN: 4.0	6
PRO-T10	22#	22.5	207.5	M10*P1.0	PIN: 4.0	6
PRO-T11	23#	23.5	207.5	M10*P1.0	PIN: 4.0	6
PRO-T12	20#	20	145	M12*P1.0	M10*P1.0	7
PRO-T13	25#	25.5	207.5	M10*P1.0	PIN: 5.0	8
PRO-T14	27#	27.5	207.5	M10*P1.0	PIN: 5.0	8
PRO-T15	25#	26	145	M18*P1.0	M14*P1.0	9
PRO-T16	30#	30.5	165	M25*P1.5	PIN: 5.0	10
PRO-T17	32#	32.5	165	M25*P1.5	PIN: 5.0	10
PRO-T18	35#	35.5	165	M25*P1.5	PIN: 5.0	11
PRO-T19	37#	37.5	165	M25*P1.5	PIN: 5.0	11
PRO-T20	38#	38.5	165	M25*P1.5	PIN: 5.0	11
PRO-T21	40#	40.5	165	M25*P1.5	PIN: 6.0	12
PRO-T22	42#	42.5	165	M25*P1.5	PIN: 6.0	12
PRO-T23	45#	45.5	165	M25*P1.5	PIN: 6.0	12
PRO-T24	51#	51.5	165	M25*P1.5	PIN: 6.0	13



ALPS - Feeding Collet

Unit: mm

Order No.	Model	OD	L	TH	I.D. Range	Type
ALP-R01	20#	15	75	M10*P1.0	3.0-12.7	1
ALP-R02	20#	18	75	M10*P1.0	13.0-15.0	2
ALP-R03	20#	19	75	M10*P1.0	15.5-16.0	2
ALP-R04	20#	20	75	M10*P1.0	16.5-18.0	2
ALP-R05	32#(P)	24	110		8.0-18.0	3
ALP-R06	32#(P)	26	110		18.5-19.0	3
ALP-R07	32#(P)	32	110		19.5-26.5	4
ALP-R08	32#(P)	35	110		27.0-29.5	4
ALP-R09	32#(P)	38	110		30.0-33.0	4
ALP-R10	32#(P)	42	110		33.5-36.0	4



ALPS - Revolving Tip

Unit: mm

Order No.	Model	OD	L	TH	PIN / TH	Type
ALP-T01	12#	12	82.2	M6*P1.0	M8	1
ALP-T02	16#	16	70.1	M10*P1.0	M14*P1.0	2
ALP-T03	20#	20	72.2	M10*P1.0	M16*P1.0	3
ALP-T04	26#	26	81.1	M22*P1.0	PIN: 4.0	4



BARLOAD - Feeding Collet

Unit: mm



Order No.	Model	OD	L	TH	I.D. Range	Type
BAR-L01	4#	5	98	M4*P0.7	0.8-4.1	1
BAR-L02	4-7#	7	98	M4*P0.7	0.8-4.0	2
BAR-L03	4-7#	7	98	M4*P0.7	4.1-6.0	2
BAR-L04	4#	5	28	M4*P0.7	0.8-4.0	3
BAR-L05	4-7#	7	28	M4*P0.7	1.5-6.0	4
BAR-L06	7#	7	50	M4*P0.7	1.3-6.0	5
BAR-L07	7#	8	50	M4*P0.7	1.3-6.5	5
BAR-L08	7#	9	50	M4*P0.7	6.6-7.0	5
BAR-L09	8.5#	9.5	45	M5*P0.8	1.5-7.8	6
BAR-L10	8.5#	10	45	M5*P0.8	7.9-8.5	6
BAR-L11	8.5#	12	45	M5*P0.8	3.0-10.5	7
BAR-L12	8.5#	13	45	M5*P0.8	10.8-11.0	8
BAR-L13	8.5#	14	45	M5*P0.8	11.5-12.0	8
BAR-L14	8.5#	15	45	M5*P0.8	12.5-13.0	8
BAR-L15	8.5#	15.5	45	M5*P0.8	13.5	8
BAR-L16	20#	15	60	M9*P1.0	2.0-13.0	9
BAR-L17	20#	18	60	M9*P1.0	11.5-15.1	10
BAR-L18	20#	19	60	M9*P1.0	15.2-16.0	10
BAR-L19	20#	20	60	M9*P1.0	16.5-18.0	10
BAR-L20	20#	22	60	M9*P1.0	18.5-19.0	11
BAR-L21	20#	24	60	M9*P1.0	19.5-21.0	11
BAR-L22	20#	25	60	M9*P1.0	21.5-22.0	11
BAR-L23	XT326	22	60	M9*P1.0	18.0-19.5	12
BAR-L24	XT326	23	60	M9*P1.0	20.0-21.0	12
BAR-L25	XT326	26	60	M9*P1.0	21.5-23.0	12
BAR-L26	XT326	28	60	M9*P1.0	24.0-26.0	12
BAR-L27	XT326	30	60	M9*P1.0	26.5-28.0	12
BAR-L28	XT326	32	60	M9*P1.0	28.5-29.5	12
BAR-L29	SN20#	20	60	M10*P1.0	2.0-18.5	13
BAR-L30	SN23#	23	60	M10*P1.0	16.0-21.0	14
BAR-L31	SN25#	25	60	M10*P1.0	16.0-23.5	14
BAR-L32	SN27#	27	60	M10*P1.0	16.5-25.0	14
BAR-L33	SN32#	32	70	M17*P1.0	23.5-28.0	15
BAR-L34	SN35#	35	80	M25*P1.5	28.5-33.0	16
BAR-L35	SN37#	37	80	M25*P1.5	31.0-35.0	17
BAR-L36	SN38#	38	80	M25*P1.5	30.0-36.0	17
BAR-L37	SN42#	42	80	M25*P1.5	31.5-40.0	17
BAR-L38	SN45#	45	80	M25*P1.5	38.5-42.5	17
BAR-L39	SN51#	51	80	M25*P1.5	41.0-48.0	18
BAR-L40	32#	32	80	M25*P1.5	4.0-30.5	15
BAR-L41	40#	40	80	M25*P1.5	20.0-36.5	17



BARLOAD - Revolving Tip

Unit: mm



Order No.	Model	OD	L	TH	PIN / TH	Type
BAR-T01	4#	5	77.1	M4*P0.7	M4*P0.7	1
BAR-T02	4-7#	7	77.2	M4*P0.7	M4*P0.7	2
BAR-T03	7#	7	65.3	M4*P0.7	M6*P0.75	3
BAR-T04	7#	7	65.3	M4*P0.7	M6*P1.0	3
BAR-T05	7#	8	65.3	M4*P0.7	M6*P0.75	3
BAR-T06	7#	8	65.3	M4*P0.7	M6*P1.0	3
BAR-T07	7#	8	61.5	M4*P0.7	M6*P0.75	4
BAR-T08	7#	7	57.5	M4*P0.7	M6*P0.75	5
BAR-T09	7.5#	7.5	57.5	M4*P0.7	M6*P1.0	5
BAR-T10	7#	8	57.5	M4*P0.7	M6*P0.75	5
BAR-T11	8.5#	9.5	63.5	M5*P0.8	M7*P0.75	6
BAR-T12	8.5#	9.5	66.3	M5*P0.8	M7*P0.75	6
BAR-T13	8.5#	10	59.5	M5*P0.8	M7*P0.75	7
BAR-T14	8.5#	10	61.1	M5*P0.8	M7*P0.75	7
BAR-T15	8.5#	9	64.5	M5*P0.8	M7*P0.75	8
BAR-T16	8.5#	10	64.5	M5*P0.8	M7*P0.75	8
BAR-T17	12#	12	64.5	M5*P0.8	M7*P0.75	9
BAR-T18	12#	12	64.5	M5*P0.8	M8*P1.0	9
BAR-T19	15#	15.5	182.5	M9*P1.0	PIN: 4.0	10
BAR-T20	20#	20.5	207.5	M10*P1.0	PIN: 4.0	11
BAR-T21	25#	25.5	207.5	M10*P1.0	PIN: 5.0	12
BAR-T22	32#	32.5	165	M25*P1.5	PIN: 5.0	13



A-Type Double-End ER Collet Extension Holder

Unit: mm


Order No.	Nut	ER	D	L
SL16-ER11AD-50	A	11	16	50
SL16-ER11AD-70	A	11	16	70
SL16-ER11AD-100	A	11	16	100
SL19.05-ER11AD-50	A	11	19.05	50
SL19.05-ER11AD-70	A	11	19.05	70
SL19.05-ER11AD-100	A	11	19.05	100
SL20-ER11AD-50	A	11	20	50
SL20-ER11AD-60	A	11	20	60
SL20-ER11AD-70	A	11	20	70
SL20-ER11AD-80	A	11	20	80
SL20-ER11AD-100	A	11	20	100
SL19.05-ER16AD-50	A	16	19.05	50
SL19.05-ER16AD-70	A	16	19.05	70
SL19.05-ER16AD-100	A	16	19.05	100
SL20-ER16AD-50	A	16	20	50
SL20-ER16AD-70	A	16	20	70
SL20-ER16AD-100	A	16	20	100
SL22-ER11AD-50	A	16	22	50
SL22-ER11AD-60	A	16	22	60
SL22-ER11AD-70	A	16	22	70
SL22-ER11AD-80	A	16	22	80
SL22-ER11AD-100	A	16	22	100
SL25-ER16AD-50	A	16	25	50
SL25-ER16AD-70	A	16	25	70
SL25-ER16AD-100	A	16	25	100
SL25.4-ER16AD-50	A	16	25.4	50
SL25.4-ER16AD-70	A	16	25.4	70
SL25.4-ER16AD-100	A	16	25.4	100
SL25.4-ER16AD-120	A	16	25.4	120
SL25-ER20AD-60	A	20	25	60
SL25-ER20AD-70	A	20	25	70
SL25-ER20AD-100	A	20	25	100
SL25.4-ER20AD-55	A	20	25.4	55
SL25.4-ER20AD-70	A	20	25.4	70
SL25.4-ER20AD-100	A	20	25.4	100
SL32-ER20AD-80	A	20	32	80



M-Type Double-End ER Collet Extension Holder

Unit: mm


Order No.	Nut	ER	D	L
SL16-ER11MD-50	M	11	16	50
SL16-ER11MD-70	M	11	16	70
SL16-ER11MD-100	M	11	16	100
SL19.05-ER11MD-50	M	11	19.05	50
SL19.05-ER11MD-70	M	11	19.05	70
SL19.05-ER11MD-100	M	11	19.05	100
SL20-ER11MD-50	M	11	20	50
SL20-ER11MD-60	M	11	20	60
SL20-ER11MD-70	M	11	20	70
SL20-ER11MD-80	M	11	20	80
SL20-ER11MD-100	M	11	20	100
SL19.05-ER16MD-50	M	16	19.05	50
SL19.05-ER16MD-70	M	16	19.05	70
SL19.05-ER16MD-100	M	16	19.05	100
SL20-ER16MD-50	M	16	20	50
SL20-ER16MD-70	M	16	20	70
SL20-ER16MD-100	M	16	20	100
SL22-ER11MD-50	M	16	22	50
SL22-ER11MD-60	M	16	22	60
SL22-ER11MD-70	M	16	22	70
SL22-ER11MD-80	M	16	22	80
SL22-ER11MD-100	M	16	22	100
SL25-ER16MD-50	M	16	25	50
SL25-ER16MD-70	M	16	25	70
SL25-ER16MD-100	M	16	25	100
SL25.4-ER16MD-50	M	16	25.4	50
SL25.4-ER16MD-70	M	16	25.4	70
SL25.4-ER16MD-100	M	16	25.4	100
SL25.4-ER16MD-120	M	16	25.4	120
SL25-ER20MD-60	M	20	25	60
SL25-ER20MD-70	M	20	25	70
SL25-ER20MD-100	M	20	25	100
SL25.4-ER20MD-55	M	20	25.4	55
SL25.4-ER20MD-70	M	20	25.4	70
SL25.4-ER20MD-100	M	20	25.4	100
SL32-ER20MD-80	M	20	32	80



A-Type Single-End ER Collet Extension Holder

Unit: mm


Order No.	Nut	ER	D	L	TH
SL16-ER11A-50	A	11	16	50	G1/4
SL16-ER11A-70	A	11	16	70	G1/4
SL16-ER11A-90	A	11	16	90	G1/4
SL16-ER11A-100	A	11	16	100	G1/4
SL19.05-ER11A-50	A	11	19.05	50	G1/4
SL19.05-ER11A-70	A	11	19.05	70	G1/4
SL19.05-ER11A-100	A	11	19.05	100	G1/4
SL20-ER11A-50	A	11	20	50	G1/4
SL20-ER11A-70	A	11	20	70	G1/4
SL20-ER11A-100	A	11	20	100	G1/4
SL25-ER11A-50	A	11	25	50	G1/4
SL25-ER11A-60	A	11	25	60	G1/4
SL25-ER11A-70	A	11	25	70	G1/4
SL16-ER16A-50	A	16	16	50	G1/4
SL16-ER16A-70	A	16	16	70	G1/4
SL16-ER16A-100	A	16	16	100	G1/4
SL19.05-ER16A-50	A	16	19.05	50	G1/4
SL19.05-ER16A-70	A	16	19.05	70	G1/4
SL19.05-ER16A-100	A	16	19.05	100	G1/4
SL20-ER16A-50	A	16	20	50	G1/4
SL20-ER16A-70	A	16	20	70	G1/4
SL20-ER16A-100	A	16	20	100	G1/4
SL22-ER16A-50	A	16	22	50	G1/4
SL22-ER16A-70	A	16	22	70	G1/4
SL22-ER16A-100	A	16	22	100	G1/4
SL25-ER16A-50	A	16	25	50	G1/4
SL25-ER16A-70	A	16	25	70	G1/4
SL25-ER16A-80	A	16	25	80	G1/4
SL25-ER16A-100	A	16	25	100	G1/4
SL25.4-ER16A-50	A	16	25.4	50	G1/4
SL25.4-ER16A-70	A	16	25.4	70	G1/4
SL25.4-ER16A-100	A	16	25.4	100	G1/4
SL20-ER20A-50	A	20	20	50	G1/4 & G3/8
SL20-ER20A-70	A	20	20	70	G1/4 & G3/8
SL20-ER20A-100	A	20	20	100	G1/4 & G3/8
SL22-ER20A-70	A	20	22	70	G1/4 & G3/8
SL22-ER20A-100	A	20	22	100	G1/4 & G3/8
SL25-ER20A-50	A	20	25	50	G1/4 & G3/8
SL25-ER20A-70	A	20	25	70	G1/4 & G3/8
SL25-ER20A-100	A	20	25	100	G1/4 & G3/8
SL25.4-ER20A-50	A	20	25.4	50	G1/4 & G3/8
SL25.4-ER20A-70	A	20	25.4	70	G1/4 & G3/8
SL25.4-ER20A-100	A	20	25.4	100	G1/4 & G3/8
SL32-ER20A-70	A	20	32	70	G1/4 & G3/8
SL32-ER20A-85	A	20	32	85	G1/4 & G3/8
SL32-ER20A-100	A	20	32	100	G1/4 & G3/8
SL40-ER20A-70	A	20	40	70	G1/4 & G3/8



M-Type Single-End ER Collet Extension Holder

Unit: mm

Order No.	Nut	ER	D	L	TH
SL16-ER11M-50	M	11	16	50	G1/4
SL16-ER11M-70	M	11	16	70	G1/4
SL16-ER11M-90	M	11	16	90	G1/4
SL16-ER11M-100	M	11	16	100	G1/4
SL19.05-ER11M-50	M	11	19.05	50	G1/4
SL19.05-ER11M-70	M	11	19.05	70	G1/4
SL19.05-ER11M-100	M	11	19.05	100	G1/4
SL20-ER11M-50	M	11	20	50	G1/4
SL20-ER11M-70	M	11	20	70	G1/4
SL20-ER11M-100	M	11	20	100	G1/4
SL25-ER11M-50	M	16	25	50	G1/4
SL25-ER11M-60	M	16	25	60	G1/4
SL25-ER11M-70	M	16	25	70	G1/4
SL16-ER16M-50	M	16	16	50	G1/4
SL16-ER16M-70	M	16	16	70	G1/4
SL16-ER16M-100	M	16	16	100	G1/4
SL19.05-ER16M-50	M	16	19.05	50	G1/4
SL19.05-ER16M-70	M	16	19.05	70	G1/4
SL19.05-ER16M-100	M	16	19.05	100	G1/4
SL20-ER16M-50	M	16	20	50	G1/4
SL20-ER16M-70	M	16	20	70	G1/4
SL20-ER16M-100	M	16	20	100	G1/4
SL22-ER11M-50	M	16	22	50	G1/4
SL22-ER11M-70	M	16	22	70	G1/4
SL22-ER11M-100	M	16	22	100	G1/4
SL25-ER16M-50	M	16	25	50	G1/4
SL25-ER16M-70	M	16	25	70	G1/4
SL25-ER16M-80	M	16	25	80	G1/4
SL25-ER16M-100	M	16	25	100	G1/4
SL25.4-ER16M-50	M	16	25.4	50	G1/4
SL25.4-ER16M-70	M	16	25.4	70	G1/4
SL25.4-ER16M-100	M	16	25.4	100	G1/4
SL20-ER20M-50	M	20	20	50	G1/4 & G3/8
SL20-ER20M-70	M	20	20	70	G1/4 & G3/8
SL20-ER20M-100	M	20	20	100	G1/4 & G3/8
SL22-ER20M-70	M	20	22	70	G1/4 & G3/8
SL22-ER20M-100	M	20	22	100	G1/4 & G3/8
SL25-ER20M-50	M	20	25	50	G1/4 & G3/8
SL25-ER20M-70	M	20	25	70	G1/4 & G3/8
SL25-ER20M-100	M	20	25	100	G1/4 & G3/8
SL25.4-ER20M-50	M	20	25.4	50	G1/4 & G3/8
SL25.4-ER20M-70	M	20	25.4	70	G1/4 & G3/8
SL25.4-ER20M-100	M	20	25.4	100	G1/4 & G3/8
SL32-ER20M-70	M	20	32	70	G1/4 & G3/8
SL32-ER20M-85	M	20	32	85	G1/4 & G3/8
SL32-ER20M-100	M	20	32	100	G1/4 & G3/8
SL40-ER20M-70	M	20	40	70	G1/4 & G3/8



UM-Type Single-End ER Collet Extension Holder

Unit: mm

Order No.	Nut	ER	D	L	TH
SL25-ER25UM-50	UM	25	25	50	G1/4 & G3/8
SL25-ER25UM-70	UM	25	25	70	G1/4 & G3/8
SL25-ER25UM-80	UM	25	25	80	G1/4 & G3/8
SL25.4-ER25UM-70	UM	25	25.4	70	G1/4 & G3/8
SL25.4-ER25UM-80	UM	25	25.4	80	G1/4 & G3/8
SL25.4-ER25UM-100	UM	25	25.4	100	G1/4 & G3/8
SL32-ER25UM-70	UM	25	32	70	G1/4 & G3/8
SL40-ER25UM-70	UM	25	40	70	G1/4 & G3/8
SL25-ER32UM-70	UM	32	25	70	G1/4 & G3/8
SL25.4-ER32UM-100	UM	32	25.4	100	G1/4 & G3/8
SL32-ER32UM-70	UM	32	32	70	G1/4 & G3/8
SL32-ER32UM-100	UM	32	32	100	G1/4 & G3/8
SL40-ER32UM-70	UM	32	40	70	G1/4 & G3/8

PRONIXT

PRECISION TOOLING SOLUTIONS

Shenzhen Sales & Operations Center

深圳市铮曜科技有限公司

Shenzhen Brilliant Forge Technology Co., Ltd

- **Sales Contact:** David
- **Tel / WhatsApp:** +86 136 5241 4474
- **E-mail:** info@pronix-tools.com
- **Address:** No. 10 Lishan Rd., Nanshan, Shenzhen, China

Taiwan Machining & Testing Partner

達威精密股份有限公司

D-Well Precision Co., Ltd

- **Contact Person:** Howard
- **Precision Prototype Machining**
- **Low-Volume Production**
- **Tool Trials & Application Testing**
- **Address:** No. 6, Ln. 70, Sec. 1, Guodao Rd.,
Sanchong Dist., New Taipei City 24156, Taiwan